



90

PIN 1: VEET	100a
PIN 2: TX FAULT	100b
PIN 3: TX DISABLE	100c
PIN 4: MOD-DEF(2)	100d
PIN 5: MOD-DEF(1)	100e
PIN 6: MOD-DEF(0)	100f
PIN 7: RATE-SELECT	100g
PIN 8: LOS	100h
PIN 9: VEER	100i
PIN 10: VEER	100j
PIN 11: VEER	100k
PIN 12: RD-	100l
PIN 13: RD+	100m
PIN 14: VEER	100n
PIN 15: VCCR	100o
PIN 16: VCCT	100p
PIN 17: VEET	100q
PIN 18: TD+	100r
PIN 19: TD-	100s
PIN 20: VEET	100t

FIG. 1




FIG. 2

304

PIN 1: VEET	324
PIN 2: TX FAULT OR RX DATA	308
PIN 3: TX DISABLE OR TX CLOCK	312
PIN 4: MOD-DEF(2)	324
PIN 5: MOD-DEF(1)	324
PIN 6: MOD-DEF(0)	324
PIN 7: RATE-SELECT OR TX DATA	316
PIN 8: LOS OR RX CLOCK/LOS	320
PIN 9: VEER	324
PIN 10: VEER	324
PIN 11: VEER	324
PIN 12: RD-	324
PIN 13: RD+	324
PIN 14: VEER	324
PIN 15: VCCR	324
PIN 16: VCCT	324
PIN 17: VEET	324
PIN 18: TD+	324
PIN 19: TD-	324
PIN 20: VEET	324

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

